

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation  
9960 Mayland Drive, Suite 400, Richmond, VA 23233  
Telephone: (804) 367-8500

EXPIRES ON

09-30-2018

NUMBER

3333000205

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE  
PCM PLM TEM



EMSL ANALYTICAL, INC.  
10768 BALTIMORE AVENUE  
BELTSVILLE, MD 20705-0000



*Jay W. DeBoer*  
Jay W. DeBoer, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)

**DPOR** COMMONWEALTH of VIRGINIA  
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM TEM

NUMBER: 3333000205 EXPIRES: 09-30-2018

EMSL ANALYTICAL, INC.  
10768 BALTIMORE AVENUE  
BELTSVILLE, MD 20705-0000



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)