

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation  
9960 Mayland Drive, Suite 400, Richmond, VA 23233  
Telephone: (804) 367-8500

EXPIRES ON  
07-31-2017

NUMBER  
3333000312

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE  
PLM TEM



EMSL ANALYTICAL, INC.  
376 CROMPTON STREET  
CHARLOTTE, NC 28273-0000



*Jay W. DeBoer*  
Jay W. DeBoer, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (05/2015)  
(DETACH HERE)



COMMONWEALTH of VIRGINIA  
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE

PLM TEM  
NUMBER: 3333000312 EXPIRES: 07-31-2017

EMSL ANALYTICAL, INC.  
376 CROMPTON STREET  
CHARLOTTE, NC 28273-0000



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (05/2015)