

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation
9960 Mayland Drive, Suite 400, Richmond, VA 23233
Telephone: (804) 367-8500

EXPIRES ON
10-31-2017

NUMBER
3333000315

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PCM PLM TEM



EMSL ANALYTICAL, INC.
521 PLYMOUTH RD
SUITE 107
PLYMOUTH MEETING, PA 19462-0000



Jay W. DeBoer
Jay W. DeBoer, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (05/2015)
(DETACH HERE)



COMMONWEALTH of VIRGINIA
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM TEM

NUMBER: 3333000315 EXPIRES: 10-31-2017

EMSL ANALYTICAL, INC.
521 PLYMOUTH RD
SUITE 107
PLYMOUTH MEETING, PA 19462-0000



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (05/2015)