

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

06-30-2018

NUMBER

3333000278

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS ASBESTOS ANALYTICAL LABORATORY LICENSE PCM PLM TEM



EMSL ANALYTICAL, INC.
2500 GATEWAY CENTRE BLVD
SUITE 600
MORRISVILLE, NC 27560-0000



July W. DeBoer
July W. DeBoer, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM TEM

NUMBER: 3333000278 EXPIRES: 06-30-2018

EMSL ANALYTICAL, INC.
2500 GATEWAY CENTRE BLVD
SUITE 600
MORRISVILLE, NC 27560-0000



(fold)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)