



July 26, 2016

OOMMEN KAPPIL  
EMSL ANALYTICAL INC  
200 RTE 130 N  
CINNAMINSON, NEW JERSEY 08077

Laboratory ID # 94017  
Certificate # 94017002

Dear Oommen Kappil:

Your certificate and associated parameter/method list(s) are enclosed. These documents now represent the certificate of record for your laboratory. Any certificate(s) and associated parameter list(s) received prior to your receipt of these documents are now null and void and should be destroyed. Please be reminded that all environmental data submitted to the Department is reviewed to ensure that the reporting laboratory possesses the necessary certification. Data reported by laboratories without the proper certification will be addressed by the affected enforcement programs.

If you have any questions or problems are detected concerning your certificate, please contact our office within ten (10) working days at (803)896-0970 or by e-mail at [labcerthelp@dhec.sc.gov](mailto:labcerthelp@dhec.sc.gov).

Sincerely,

A handwritten signature in black ink that reads "Carol F. Smith". The signature is written in a cursive, flowing style.

Carol F. Smith, Director  
Office of Environmental Laboratory Certification  
Bureau of Environmental Health Services

Enclosures

*Register on our website at [www.scdhec.gov/labcert](http://www.scdhec.gov/labcert) to receive e-mail updates for the Laboratory Certification Program. Subscribing is easy and you'll automatically receive new posts to our website.*



South Carolina Department of Health  
and Environmental Control

# Environmental Laboratory Certification Program

In accordance with the provisions of Regulation 61-81, entitled  
"State Environmental Laboratory Certification Regulations"

**EMSL ANALYTICAL INC**  
**200 RTE 130 N**  
**CINNAMINSON, NEW JERSEY 08077**

*is hereby certified to perform analyses as documented on the attached parameter list(s). This certification does not guarantee validity of data generated, but indicates the laboratory's adherence to prescribed methodology, quality control, records keeping, and reporting procedures. This certificate is the property of S.C. DHEC and must be surrendered upon demand. This certificate is non-transferable and is valid only for the parameters and methodology listed on the attached parameter list(s).*

**Laboratory Director: OOMMEN KAPPIL**  
**Certifying Authority: NJ**  
**Date of Issue: July 22, 2016**  
**Date of Expiration: June 30, 2017**  
**Certificate Number: 94017002**

A handwritten signature in black ink, appearing to read "Carol Smith", is written over a horizontal line.

Director

Office of Environmental Laboratory Certification

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL  
ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM

**EMSL ANALYTICAL INC (Laboratory ID 94017)**  
**Laboratory Director: OOMMEN KAPPIL**  
**Certifying Authority: NJ**  
**Certificate Number: 94017002**

**Date of Issue: July 22, 2016**  
**Expiration Date: June 30, 2017**

**SAFE DRINKING WATER ACT**

**INORGANIC - MISCELLANEOUS**

TEMPERATURE

SM 2550B-00

THERMOMETRIC

**MICROBIOLOGY**

CRYPTOSPORIDIUM

EPA 1623.1 (2012)

CRYPTOSPORIDIUM BY FILTRATION/IMS/FA