



Drywall Associated Corrosion

EMSL Order Number / Lab Use Only

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

Customer Information	Customer ID:		Billing ID:	
	Company Name:		Company Name:	
	Contact Name:		Billing Contact:	
	Street Address:		Street Address:	
	City, State, Zip:	Country:	City, State, Zip:	Country:
	Phone:		Phone:	
Email(s) for Report:		Email(s) for Invoice:		

Project Information			
Project Name/No:		Purchase Order:	
EMSL LIMS Project ID: <small>(If applicable, EMSL will provide)</small>		US State where samples collected:	State of Connecticut (CT) must select project location: Commercial (Taxable) Residential (Non-Taxable)
Sampled By Name:	Sampled By Signature:		No. of Samples in Shipment

Turn-Around-Time (TAT)						
1 Day	2 Day	3 Day	4 Day	1 Week	2 Week	4 Week (Test 4)

Test Selection	
<p>TEST 1: VOC/Organic Sulfides Emission <i>Sample Requirements: Piece of suspected drywall 6" x 6"</i></p> <p>TEST 2: Elemental Sulfur / BNA Extraction <i>Sample Requirements: Piece of suspected drywall at least 3"x 3", but not more than 6" x 6"</i></p>	<p>TEST 3: SEM/EDX of Copper Deposits (Indicative of Corrosion) <i>Sample Requirements:</i> <i>Option 1: Alcohol prep wipes used for collecting deposits on copper surfaces</i> <i>Option 2: Piece of the copper wire with deposits indicative of corrosion.</i></p> <p>TEST 4: Accelerated Corrosion (Copper Corrosion in Environmental Chamber) <i>Sample Requirements: Piece of suspected drywall at least 3"x 3", but not more than 6" x 6"</i> <i>TAT is 4 Weeks, no faster TAT available</i></p>

Sample Number	Sample Location / Description	Sample Size (Approx)	Date / Time Sampled

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)			
Method of Shipment:		Sample Condition Upon Receipt:	

Relinquished by:		Date/Time:		Received by:		Date/Time	
Relinquished by:		Date/Time:		Received by:		Date/Time	

Controlled Document - COC-09 Drywall Associated Corrosion R4 02/26/2021

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.