



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

Drywall Analysis Chain of Custody

EMSL Order Number (Lab Use Only):

PHONE: ()

FAX: ()

Company :		EMSL-Bill to: <input type="checkbox"/> Same <input type="checkbox"/> Different If Bill to is Different note instructions in Comments**	
Street:		<i>Third Party Billing requires written authorization from third party</i>	
City:	State/Province:	Zip/Postal Code:	Country:
Report To (Name):		Fax #:	
Telephone #:		Email Address:	
Project Name/Number:			
Please Provide Results: <input type="checkbox"/> Fax <input type="checkbox"/> Email		Purchase Order:	U.S. State Samples Taken In:

Turnaround Time (TAT) Options – Please Check					
<input type="checkbox"/> 1 Day	<input type="checkbox"/> 2 Day	<input type="checkbox"/> 3 Day	<input type="checkbox"/> 4 Day	<input type="checkbox"/> 1 Week	<input type="checkbox"/> 2 Week

Test Type	
<input type="checkbox"/> Elemental sulfur/BNA extraction <i>Sample requirements: Piece of suspected drywall at least 3"x3," not more than 6"x6"</i>	<input type="checkbox"/> VOC/Organic sulfides emission <i>Sample requirements: Piece of suspected drywall 6"x6"</i>
<input type="checkbox"/> SEM/EDX of copper deposits (indicative of corrosion) <i>Sample requirements: Option 1: Alcohol prep wipes used for collecting deposits on copper surfaces Option 2: Piece of the copper wire with deposits indicative of corrosion</i>	<input type="checkbox"/> Accelerated Corrosion (copper corrosion in environmental chamber) <i>Sample requirements: Piece of suspected drywall at least 3"x3," not more than 6"x6 TAT is 4 weeks, no shorter TAT is available</i>

Sampler's Name:	Sampler's Signature:
-----------------	----------------------

Sample #	Sample Description/Location	Size (aprox.)	Date/Time Sampled

Client Sample # (s):	-	Total # of Samples:
----------------------	---	---------------------

Relinquished (Client):	Date:	Time:
------------------------	-------	-------

Received (Lab):	Date:	Time:
-----------------	-------	-------

Comments:

