



EMSL Chain of Custody - One Chain

EMSL Order Number / Lab Use Only

PHONE:
EMAIL:

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

If Bill-To is the same as Report-To leave this section blank. Third-party billing requires written authorization.

Customer Information	Customer ID:		Billing Information	Billing ID:	
	Company Name:			Company Name:	
	Contact Name:			Billing Contact:	
	Street Address:			Street Address:	
	City, State, Zip:	Country:		City, State, Zip:	Country:
	Phone:			Phone:	
Email(s) for Report:		Email(s) for Invoice:			

Project Information			
Project Name/No:			Purchase Order:
EMSL LIMS Project ID: <small>(If applicable, EMSL will provide)</small>		US State where samples collected:	State of Connecticut (CT) must select project location: Commercial (Taxable) Residential (Non-Taxable)
Sampled By Name:	Sampled By Signature:	No. of Samples in Shipment	

Turn-Around-Time (TAT)								
3 Hour	6 Hour	24 Hour	32 Hour	48 Hour	72 Hour	96 Hour	1 Week	2 Week
Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.								

PCB Air			ASBESTOS			TEM - Settled Dust		
NIOSH 7400			AHERA 40 CFR, Part 763			Microvac - ASTM D5755		
NIOSH 7400 w/ 8hr. TWA			NIOSH 7402			Wipe - ASTM D6480		
PLM - Bulk (reporting limit)			EPA Level II			Qualitative via Filtration Prep		
PLM EPA 600/R-93/116 (<1%)			ISO 10312*			Qualitative via Drop Mount Prep		
PLM EPA NOB (<1%)			TEM - Bulk					
POINT COUNT			TEM EPA NOB			Soil - Rock - Vermiculite (reporting limit)*		
400 (<0.25%) 1,000 (<0.1%)			NYS NOB 198.4 (Non-Friable-NY)			PLM EPA 600/R-93/116 with milling prep (<0.25%)		
POINT COUNT w/ GRAVIMETRIC			TEM EPA 600/R-93/116 w Milling Prep (0.1%)			PLM EPA 600/R-93/116 with milling prep (<0.1%)		
400 (<0.25%) 1,000 (<0.1%)			Other Test (please specify)			TEM EPA 600/R-93/116 with milling prep (<0.1%)		
NIOSH 9002 (<1%)						TEM Qualitative via Filtration Prep		
NYS 198.1 (Friable - NY)						TEM Qualitative via Drop Mount Prep		
NYS 198.6 NOB (Non-Friable - NY)								
NYS 198.8 (Vermiculite SM-V)			<i>*Please call with your project-specific requirements.</i>					

Positive Stop - Clearly Identified Homogeneous Areas (HA)		Filter Pore Size (Air Samples)		0.8um	0.45um
--	--	---------------------------------------	--	--------------	---------------

LEAD (PB)		ICP		MAT-SCI (TAT End of Business Day)	
Flame Atomic Absorption				Common Particle ID (large particles)	
Chips SW846-7000B or AOAC 974.2		TEM EPA 600/R-93/116 w Milling Prep (0.1%)		Full Particle ID (environmental dust)	
Soil SW846-7000B/7420		Chatfield SOP		Basic Material ID (solids)	
Air NIOSH 7082				Advanced Material ID	
Wastewater SM3111B or SW846-7000B/7420				Physical Testing (Tensile, Compression)	
ASTM Wipe SW846-7000B/7420				Combustion-By-Products (Soot, Char, Etc.)	
non-ASTM Wipe SW846-7000B/7420				X-Ray Fluorescence (elem. Analysis)	
TCLP SW846-1311/ 7420/ SM3111B				X-Ray Diffraction (Crystalline Part.)	

MICROBIOLOGY			
Swab and Bulk Samples		Air Samples	
Mold & Fungi - Direct Examination		Mold & Fungi (Spore Trap)	
Mold & Fungi Culture (Genus Only)		Mold & Fungi Culture (Genus Only)	
Mold & Fungi Culture (Genus & Species)		Mold & Fungi Culture (Genus & Species)	
Bacterial Count & ID (Up to 3 Types)		Bacterial Count & ID (Up to 3 Types)	
Bacterial Count & ID (Up to 5 Types)		Bacterial Count & ID (Up to 5 Types)	
Sewage Screen		DNA & PCR Testing: (See Analytical Guide for Code)	
Sewage Screen (P/A)		Test Code:	
Sewage Screen (Membrane Filtration)			
Water Samples		Legionella: (See Analytical Guide for Code)	
Total Coliform & E. Coli (P/A, SM 9223B)		Test Code:	
Heterotrophic Plate Count (PP, SM 9251B)			
Fecal Coliform (SM 9222D)		P/A= Presence/Absence, PP= Pour Plate	

Other Test (please specify)	
------------------------------------	--

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)	
--	--

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

