



EMSL ANALYTICAL, INC.
LABORATORY • PRODUCTS • TRAINING

LT2 Chain of Custody

EMSL Order ID (Lab Use Only):

EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
CINNAMINSON, NJ 08077

PHONE: (800) 220-3675

FAX: (856) 786-0262

EMAIL: INFO@EMSL.COM

Company/PWS:		EMSL-Bill To: <input type="checkbox"/> Same <input type="checkbox"/> Different	
Street:		If Bill To is Different please note in Comments	
Third Party Billing requires written authorization from third party			
City:	State/Province:	Zip/Postal Code:	Country:
Report To (Name):		E-mail Address:	
Telephone:		Fax #:	
Project Name/ Number:			
Please Provide Results: <input checked="" type="checkbox"/> E-mail <input type="checkbox"/> Mail		PO#	State Samples Taken:
PWS ID:	Facility ID:	Collection point ID:	Source ID:

TAT (Turnaround time): 1 week 2 weeks Other (Specify)

Test Codes

- M640 *Cryptosporidium* and *Giardia* (EPA 1623.1)
- M641 Matrix Spike for *Cryptosporidium* and *Giardia* (EPA 1623.1)
- M114 *E. coli* (MPN by SM 9223B)

Please fill in one sample per row.

Cryptosporidium/Giardia samples will be rejected if hold time > 48 hours, if sample temperature exceeds 20°C or is frozen, or if samples leak during transport.

E. coli samples must be shipped as soon as possible at 0-10°C, as the hold time between sampling and analysis is 30 hours.

Analysis completed in accordance with EMSL's Terms and Conditions located in the Laboratory Services Pricing Guide.

Field Use					Lab Use					
Client Sample ID	Test Code	Date / Time Sampled	Turbidity (NTU)	Operator	<i>Cryptosporidium/Giardia</i> ONLY				Temp. Acceptable During Transport? (0-20°C for crypto)	Temp. on Receipt (°C)
					Regular/ Matrix Spike	Volume Filtered (Liters)*	Filter Clog?*	Number of Filters*		
					<input type="checkbox"/> Regular		<input type="checkbox"/> Yes <input type="checkbox"/> No		Y / N	
					<input type="checkbox"/> Matrix Spike					
					<input type="checkbox"/> Regular		<input type="checkbox"/> Yes <input type="checkbox"/> No		Y / N	
					<input type="checkbox"/> Matrix Spike					
					<input type="checkbox"/> Regular		<input type="checkbox"/> Yes <input type="checkbox"/> No		Y / N	
					<input type="checkbox"/> Matrix Spike					
					<input type="checkbox"/> Regular		<input type="checkbox"/> Yes <input type="checkbox"/> No		Y / N	
					<input type="checkbox"/> Matrix Spike					

* For field filtered samples only.

1 gallon = 3.785 liters.

Comments:

Packing (place the temperature strips or logger into the coolers)		Name:	Date/time:
Relinquished:	Date/time:	Received:	Date/time:
Relinquished:	Date/time:	Received:	Date/time:
Relinquished:	Date/time:	Received:	Date/time:

Please use the "Aquatic Microbiology Chain of Custody" for Microscopic Particulate Analysis (MPA).