



EMSL ANALYTICAL, INC.  
LABORATORY • PRODUCTS • TRAINING

# Microbiology Chain of Custody

EMSL Order Number (Lab Use Only):

EMSL ANALYTICAL, INC.  
200 ROUTE 130 NORTH  
CINNAMINSON, NJ 08077  
PHONE: (800) 220-3675  
FAX: (856) 786-0262

<b>Company Name:</b>			<b>EMSL-Bill to:</b> <input type="checkbox"/> Same <input type="checkbox"/> Different If Bill to is Different note instructions in Comments				
<b>Street:</b>			<i>Third Party Billing requires written authorization from third party.</i>				
<b>City:</b>		<b>State/Province:</b>		<b>Zip/Postal Code:</b>		<b>Country:</b>	
<b>Report To (Name):</b>			<b>Telephone #:</b>				
<b>Email Address:</b>			<b>Fax #:</b>		<b>Purchase Order:</b>		
<b>Project Name/Number:</b>			<b>Please Provide Results:</b> <input type="checkbox"/> Fax <input type="checkbox"/> Email				
<b>U.S. State Samples Taken:</b>		<b>Project Zip Code:</b>		<b>Connecticut Samples:</b> <input type="checkbox"/> Commercial <input type="checkbox"/> Residential			
<b>Sterile, Sodium Thiosulfate Preserved Bottle Used:</b> <input type="checkbox"/> <b>Biocide Used in Source (specify):</b> <input type="checkbox"/>							
<b>Public Water Supply Samples:</b> <input type="checkbox"/> <b>Note: All results may automatically be reported to DOH if required by state.</b>							
<b>Turnaround Time (TAT) Options - Please Check</b>							
<input type="checkbox"/> 3 Hour	<input type="checkbox"/> 6 Hour	<input type="checkbox"/> 24 Hour	<input type="checkbox"/> 48 Hour	<input type="checkbox"/> 72 Hour	<input type="checkbox"/> 96 Hour	<input type="checkbox"/> 1 Week	<input type="checkbox"/> 2 Week
<b>Microbiology Test Codes</b>							
<b>M001</b> Air-O-Cell		<b>M174</b> MoldSnap		<b>M012</b> <i>Pseudomonas aeruginosa</i> (P/A***)		<b>M115</b> Sewage Screen - Water (P/A***)	
<b>M030</b> Micro 5		<b>M032</b> Allergenco-D		<b>M024</b> <i>Pseudomonas aeruginosa</i> (MFT*)		<b>M116</b> Sewage Screen - Water (MPN**)	
<b>M041</b> Fungal Direct Examination				<b>M015</b> Heterotrophic Plate Count		<b>M117</b> Sewage Screen - Swab (P/A***)	
<b>M169</b> Pollen ID & Enumeration				<b>M017</b> Total Coliform & <i>E. coli</i> (Colilert P/A***)		<b>M013</b> Sewage Screen - Swab (MFT*)	
<b>M280</b> Dust Characterization Level-1				<b>M018</b> Total Coliform & <i>E. coli</i> (MFT*)		<b>M133</b> <i>Methicillin-resistant Staph. aureus</i> (MRSA)	
<b>M281</b> Dust Characterization Level-2				<b>M114</b> Total Coliform & <i>E. coli</i> Enumeration (Colilert MPN**)		<b>M031</b> Rapid-growing non-TB <i>Mycobacteria</i> Detection & Enumeration	
<b>M005</b> Viable Fungi- Air Samples (Genus ID & Count)				<b>M019</b> Fecal Coliform (MFT*)		<b>M014</b> Endotoxin Analysis	
<b>M006</b> Viable Fungi- Air Samples (Includes <i>Penicillium</i> , <i>Aspergillus</i> , <i>Cladosporium</i> , <i>Stachybotrys</i> Species ID & Count)				<b>M020</b> Fecal <i>Streptococcus</i> (MFT*)		<b>M044</b> Group Allergen (Cat, Dog, Cockroach, Dust Mite)	
<b>M007</b> Culturable fungi - Surface Samples (Genus ID & Count)				<b>M029</b> <i>Enterococci</i> (MFT*)		<b>Other</b> See Analytical Price Guide	
<b>M008</b> Culturable fungi - Surface Samples (Includes <i>Penicillium</i> , <i>Aspergillus</i> , <i>Cladosporium</i> , <i>Stachybotrys</i> Species ID & Count)				<b>M129</b> <i>Enterococci</i> (Enterolert P/A***)		<b>Legionella Analysis</b> Please use EMSL <i>Legionella</i> COC	
<b>M009</b> Bacteria Culture Gram Stain & Count				<b>M180</b> Real Time qPCR-ERMI 36 Panel			
<b>M010</b> Bacteria Count & ID - 3 Most Prominent				<b>M025</b> Sewage Screen -Water (MFT*)			
<b>M011</b> Bacteria Count & ID - 5 Most Prominent							
				*MFT= Membrane Filtration Technique **MPN= Most Probable Number ***P/A= Presence/Absence			
<b>Name of Sampler:</b>				<b>Signature of Sampler:</b>			
<b>Sample #</b>	<b>Sample Location/Description</b>	<b>Sample Type</b>	<b>Potable/ NonPotable (Only for Waters)</b>	<b>Test Code</b>	<b>Volume/ Area</b>	<b>Date/Time Collected</b>	<b>Temperature (°C) (Lab Use Only)</b>
Example A1	Kitchen Sink/Tap	Water	<input checked="" type="checkbox"/> P <input type="checkbox"/> NP	M017	100 mL	9/1/13 4:00 PM	
			<input type="checkbox"/> P <input type="checkbox"/> NP				
			<input type="checkbox"/> P <input type="checkbox"/> NP				
			<input type="checkbox"/> P <input type="checkbox"/> NP				
			<input type="checkbox"/> P <input type="checkbox"/> NP				
			<input type="checkbox"/> P <input type="checkbox"/> NP				
<b>Client Sample # (s):</b> -		<b>Total # of Samples:</b>		<b>Samples Received Chilled?</b> Yes / No (Lab Use Only)			
<b>Relinquished (Client):</b>			<b>Date:</b>		<b>Time:</b>		
<b>Received (Lab):</b>			<b>Date:</b>		<b>Time:</b>		
<b>Comments/Special Instructions:</b>							

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this chain of custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

