



EMSL Chain of Custody - One Chain

EMSL Order Number / Lab Use Only

PHONE:
EMAIL:

EMSL ANALYTICAL, INC.
TESTING LABS • PRODUCTS • TRAINING

If Bill-To is the same as Report-To leave this section blank. Third-party billing requires written authorization.

Customer Information	Customer ID:		Billing Information	Billing ID:	
	Company Name:			Company Name:	
	Contact Name:			Billing Contact:	
	Street Address:			Street Address:	
	City, State, Zip:	Country:		City, State, Zip:	Country:
	Phone:			Phone:	
Email(s) for Report:		Email(s) for Invoice:			

Project Information			
Project Name/No:			Purchase Order:
EMSL LIMS Project ID: <small>(If applicable, EMSL will provide)</small>		US State where samples collected:	State of Connecticut (CT) must select project location: Commercial (Taxable) Residential (Non-Taxable)
Sampled By Name:	Sampled By Signature:	No. of Samples in Shipment	

Turn-Around-Time (TAT)								
3 Hour	6 Hour	24 Hour	32 Hour	48 Hour	72 Hour	96 Hour	1 Week	2 Week
Please call ahead for large projects and/or turnaround times 6 Hours or Less. *32 Hour TAT available for select tests only; samples must be submitted by 11:30am.								

PCB Air			ASBESTOS			TEM - Settled Dust		
NIOSH 7400			NIOSH 7402			Microvac - ASTM D5755		
NIOSH 7400 w/ 8hr. TWA			NIOSH 7402			Wipe - ASTM D6480		
PLM - Bulk (reporting limit)			TEM - Air			TEM - Bulk		
PLM EPA 600/R-93/116 (<1%)			EPA Level II			Qualitative via Filtration Prep		
PLM EPA NOB (<1%)			ISO 10312*			Qualitative via Drop Mount Prep		
POINT COUNT			TEM EPA NOB			Soil - Rock - Vermiculite (reporting limit)*		
400 (<0.25%) 1,000 (<0.1%)			NYS NOB 198.4 (Non-Friable-NY)			PLM EPA 600/R-93/116 with milling prep (<0.25%)		
POINT COUNT w/ GRAVIMETRIC			TEM EPA 600/R-93/116 w Milling Prep (0.1%)			PLM EPA 600/R-93/116 with milling prep (<0.1%)		
400 (<0.25%) 1,000 (<0.1%)			Other Test (please specify)			TEM EPA 600/R-93/116 with milling prep (<0.1%)		
NIOSH 9002 (<1%)						TEM Qualitative via Filtration Prep		
NYS 198.1 (Friable - NY)						TEM Qualitative via Drop Mount Prep		
NYS 198.6 NOB (Non-Friable - NY)								
NYS 198.8 (Vermiculite SM-V)								
			<i>*Please call with your project-specific requirements.</i>					

Positive Stop - Clearly Identified Homogeneous Areas (HA)		Filter Pore Size (Air Samples)	
		0.8um	0.45um

LEAD (PB)		MAT-SCI (TAT End of Business Day)	
Flame Atomic Absorption		ICP	
Chips SW846-7000B or AOAC 974.2		Common Particle ID (large particles)	
Soil SW846-7000B/7420		Full Particle ID (environmental dust) Basic	
Air NIOSH 7082		Material ID (solids)	
Wastewater SM3111B or SW846-7000B/7420		Advanced Material ID	
ASTM Wipe SW846-7000B/7420		Physical Testing (Tensile, Compression)	
Non-ASTM Wipe SW846-7000B/7420		Combustion-By-Products (Soot, Char, etc.)	
TCLP SW846-1311/ 7420/ SM3111B		X-Ray Fluorescence (Elem. Analysis)	
		X-Ray Diffraction (Crystalline Part.)	
		MMVFs (Fibrous Glass, RCFs)	
		Particle Size (Sieve, Microscopy, Laser)	
		Combustible Dust	
		Petrographic Examination	

MICROBIOLOGY			
Swab and Bulk Samples		Air Samples	
Mold & Fungi - Direct Examination		Mold & Fungi (Spore Trap)	
Mold & Fungi Culture (Genus Only)		Mold & Fungi Culture (Genus Only)	
Mold & Fungi Culture (Genus & Species)		Mold & Fungi Culture (Genus & Species)	
Bacterial Count & ID (Up to 3 Types)		Bacterial Count & ID (Up to 3 Types)	
Bacterial Count & ID (Up to 5 Types)		Bacterial Count & ID (Up to 5 Types)	
Sewage Screen		DNA & PCR Testing: (See Analytical Guide for Code)	
Sewage Screen (P/A)		Test Code:	
Sewage Screen (Membrane Filtration)			
Water Samples		Legionella: (See Analytical Guide for Code)	
Total Coliform & E. Coli (P/A, SM 9223B)		Test Code:	
Heterotrophic Plate Count (PP, SM 9251B)			
Fecal Coliform (SM 9222D)			
		P/A= Presence/Absence, PP= Pour Plate	

Other Test (please specify)			
------------------------------------	--	--	--

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)			
--	--	--	--

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:



EMSL Chain of Custody - One Chain

EMSL Order Number / Lab Use Only

EMSL ANALYTICAL, INC.
 TESTING LABS • PRODUCTS • TRAINING

PHONE:
 EMAIL:

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Sample Number	Sample Location / Description	Volume, Area or Homogeneous Area	Date / Time Sampled (Air Monitoring Only)

Method of Shipment:		Sample Condition Upon Receipt:	
Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

AGREE TO ELECTRONIC SIGNATURE (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.