PFAS Chain of Custody

EMSL Order Number / Lab Use Only

EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
CINNAMINSON, NJ 08077
PHONE: (800) 220-3675
FAX:(856) 786-0262

Customer Information		Billing Information	
Customer ID:		Billing ID:	
Company Name:		Company Name:	
Contact Name:		Billing Contact:	
Street Address:		Street Address:	
City, State, Zip:	Country:	City, State, Zip:	Country:
Phone:		Phone:	
Email(s) for Report:		Email(s) for Invoice:	

Project Name/No:			Purchase Order:
EMSL LIMS Project ID: (If applicable, EMSL will provide)		US State where samples collected:	State of Connecticut (CT) must select project location:
Samples for Compliance? ☐ Yes ☐ No	If Yes, for NPDES? ☐ Yes ☐ No	Other (Specify)	PWS ID: / State Reporting Required? ☐ Y ☐ N
Samples Collected by (Check One): ☐ EMSL ☐ CLIENT	Samples Shipped Chilled? (Loose Ice ONLY, NO Ice Packs) Yes No	**Sample(s) Temperature Upon Receipt (LAB ONLY)**	
Sampled By Name:	Sampled By Signature:		No. Samples in Shipment:

Standard Turnaround Time: ☐ **1 Week** ☐ **2 Week**

The following TAT's are subject to Lab approval. Call lab to confirm TAT before submittal: ☐ **4 Days** ☐ **3 Days** ☐ **2 Days** ☐ **1 Day**

Available Test Codes

- **01-PFNA** (EPA 537.1, Trizma Pres.)
- **01-PFOA** (EPA 537.1, Trizma Pres.)
- **01-PFOS** (EPA 537.1, Trizma Pres.)
- **01-PFAS 3** (New Jersey, EPA 537.1, Trizma Pres.)
- **01-PFAS 14-EPA 537** (EPA 537, Trizma Pres.)
- **01-PFAS 18-EPA 537.1** (EPA 537.1, Trizma Pres.)
- **01-PFAS-EPA 533** (EPA 533, Ammonium Acetate Pres.)
- **01-PFAS-EPA 1633** (EPA 1633, No Preservative)

Custom Lists Available - Call Lab to Discuss
EPA 537.1 up to 18 Compounds
EPA 533 up to 25 Compounds
EPA 1633 up to 40 Compounds

Client Sample ID	GRAB	Date / Time Collected	Matrix -Drinking Water -Ground Water -Waste Water -Soil		Field Temp, Degrees C. **	Comments
Sample Data Row	**X**	**1/1/2021**	**Drinking Water**	**01-PFAS-EPA 533**	**8°**	**None**

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Reporting requirements: ☐ Results Only ☐ Results and QC ☐ Reduced Deliverables ☐ Excel ☐ Other

Method of Shipment:		Sample Condition Upon Receipt:	Received on Ice? Check if Yes: ☐
Relinquished by:	Date/Time:	Received by:	Date/Time
Relinquished by:	Date/Time:	Received by:	Date/Time

Controlled Document - COC-76 Chemistry PFAS R6 9/4/2024

***Field Temperature should be tested on same date and time of sample collection.**

☐ **AGREE TO ELECTRONIC SIGNATURE** (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.

PFAS Chain of Custody

EMSL Order Number / Lab Use Only

EMSL ANALYTICAL, INC.
200 ROUTE 130 NORTH
CINNAMINSON, NJ 08077
PHONE: (800) 220-3675
FAX:(856) 786-0262

EMSL ANALYTICAL, INC.

Additional Pages of the Chain of Custody are only necessary if needed for additional sample information

Special Instructions and/or Regulatory Requirements (Sample Specifications, Processing Methods, Limits of Detection, etc.)

Client Sample ID	GRAB	Date / Time	Matrix -Drinking Water -Ground Water -Waste Water -Soil	Available Test Codes • **01-PFNA** (EPA 537.1, Trizma Pres.) • **01-PFOA** (EPA 537.1, Trizma Pres.) • **01-PFOS** (EPA 537.1, Trizma Pres.) • **01-PFAS 3** (New Jersey, EPA 537.1, Trizma Pres.) • **01-PFAS 14-EPA 537** (EPA 537, Trizma Pres.) • **01-PFAS 18-EPA 537.1** (EPA 537.1, Trizma Pres.) • **01-PFAS-EPA 533** (EPA 533, Ammonium Acetate Pres.) • **01-PFAS-EPA 1633** (EPA 1633, No Preservative) Custom Lists Available - Call Lab to Discuss EPA 537.1 up to 18 Compounds EPA 533 up to 25 Compounds EPA 1633 up to 40 Compounds	Degrees C. **	Comments

Method of Shipment:		Sample Condition Upon Receipt:	Received on Ice? Check if Yes: ☐
Relinquished by:	Date/Time:	Received by:	Date/Time
Relinquished by:	Date/Time:	Received by:	Date/Time

Controlled Document - COC-76 Chemistry PFAS R6 9/4/2024

***Field Temperature should be tested on same date and time of sample collection.**

☐ **AGREE TO ELECTRONIC SIGNATURE** (By checking, I consent to signing this Chain of Custody document by electronic signature.)

EMSL Analytical, Inc.'s Laboratory Terms and Conditions are incorporated into this Chain of Custody by reference in their entirety. Submission of samples to EMSL Analytical, Inc. constitutes acceptance and acknowledgment of all terms and conditions by Customer.