



## Accredited Laboratory

A2LA has accredited

**EMSL ANALYTICAL, INC.**

*Indianapolis, IN*

for technical competence in the field of

**Biological Testing**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (*refer to joint ISO-ILAC-IAF Communiqué dated April 2017*).



Presented this 28<sup>th</sup> day of August 2018.

A handwritten signature in black ink, written over a horizontal line.

President and CEO  
For the Accreditation Council  
Certificate Number 2845.11  
Valid to July 31, 2020

*For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.*



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

EMSL ANALYTICAL, INC.  
6340 Castleplace Dr.  
Indianapolis, IN 46250  
Benjamin Lewis Phone: 317-803-2997

BIOLOGICAL

Valid To: July 31, 2020

Certificate Number: 2845.11

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing 2015 "AOAC International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Foods, Dietary Supplements, and Pharmaceuticals", accreditation is granted to this laboratory to perform the following tests on food, food products, feeds, food additives, beverages, and environmental samples:

| <u>Test</u>                                  | <u>Test Method</u>             | <u>SOP</u>    |
|--|--------------------------------|---------------|
| Aerobic Plate Count – Petrifilm              | AOAC 990.12                    | FMB-SOP-102   |
| Enterobacteriaceae – Petrifilm               | AOAC 2003.01                   | FMB-SOP-111   |
| <i>Escherichia coli</i> O157:H7 ELFA – VIDAS | AOAC RI060903                  | FMB-SOP-108B  |
| <i>Listeria</i> ELFA – VIDAS                 | AOAC 2010.02                   | FMB-SOP-107A  |
| <i>Listeria</i> LMX – VIDAS                  | AOAC 2013.11                   | FMB-SOP-107A  |
| <i>Salmonella</i> ELFA – VIDAS               | AOAC 2011.03, 2013.01          | FMB-SOP-F106A |
| <i>Staphylococcus aureus</i> – Petrifilm     | AOAC 2003.07, 2003.08, 2003.11 | FMB-SOP-105   |
| Total Coliform / <i>E. coli</i> – Petrifilm  | AOAC 991.14, 998.08            | FMB-SOP-104   |
| Yeast & Mold – Petrifilm                     | AOAC 997.02                    | FMB-SOP-103   |