



**AIHA Laboratory Accreditation Programs, LLC**

*acknowledges that*

**EMSL Analytical, Inc**

**2205 Corporate Plaza Parkway SE, Suite 200 Smyrna, GA 30080**

**Laboratory ID: LAP-100662**

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs (AIHA-LAP), LLC accreditation to the ISO/IEC 17025:2017 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

**LABORATORY ACCREDITATION PROGRAMS**

- |                                     |                                   |                                       |
|-------------------------------------|-----------------------------------|---------------------------------------|
| <input type="checkbox"/>            | <b>INDUSTRIAL HYGIENE</b>         | Accreditation Expires:                |
| <input type="checkbox"/>            | <b>ENVIRONMENTAL LEAD</b>         | Accreditation Expires:                |
| <input checked="" type="checkbox"/> | <b>ENVIRONMENTAL MICROBIOLOGY</b> | Accreditation Expires: April 01, 2023 |
| <input type="checkbox"/>            | <b>FOOD</b>                       | Accreditation Expires:                |
| <input type="checkbox"/>            | <b>UNIQUE SCOPES</b>              | Accreditation Expires:                |

Specific Field(s) of Testing (FoT)/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2017 and AIHA-LAP, LLC requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA-LAP, LLC website ([www.aihaaccreditedlabs.org](http://www.aihaaccreditedlabs.org)) for the most current Scope.

Cheryl O Morton  
Managing Director, AIHA Laboratory Accreditation Programs, LLC



# AIHA Laboratory Accreditation Programs, LLC

## SCOPE OF ACCREDITATION

### EMSL Analytical, Inc

2205 Corporate Plaza Parkway SE, Suite 200 Smyrna,  
GA 30080

Laboratory ID: LAP-100662

Issue Date: 07/22/2022

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

### Environmental Microbiology Laboratory Accreditation Program (EMLAP)

Initial Accreditation Date: 08/01/2004

EMLAP Scope Category	Field of Testing (FOT)	Component, parameter or characteristic tested	Method	Method Description <i>(for internal methods only)</i>
Bacterial	Air - Culturable	Air	MICRO-SOP-132	Detection and Enumeration of Culturable Bacteria from Environmental Samples
Bacterial	Bulk - Culturable	Bulks (liquid or solid)	MICRO-SOP-132	Detection and Enumeration of Culturable Bacteria from Environmental Samples
Bacterial	Surface - Culturable	Swab or Contact Plate	MICRO-SOP-132	Detection and Enumeration of Culturable Bacteria from Environmental Samples
Fungal	Air - Culturable	Air	MICRO-SOP-202	Detection and Enumeration of Culturable Fungi From Environmental Samples
Fungal	Air - Direct Examination	Spore Trap	MICRO-SOP-201	Standard Operating Procedure for the Analysis of Airborne Fungal Spores, Hyphal Fragments, Pollen, Insect Fragments, Skin Fragments and Fibrous Particulate by Optical Microscopy of Spore Trap Samples
Fungal	Bulk - Culturable	Bulks (liquid or solid)	MICRO-SOP-202	Detection and Enumeration of Culturable Fungi From Environmental Samples
Fungal	Bulk - Direct Examination	Bulks (liquid or solid)	MICRO-SOP-200	Standard Operating Procedure for the Microscopic Examination of Fungal Spores, Fungal

Effective: 06/07/2022

Revision: 7.2

Page 1 of 2



EMLAP Scope Category	Field of Testing (FOT)	Component, parameter or characteristic tested	Method	Method Description <i>(for internal methods only)</i>
				Structures, Hyphae, Pollen, Insect Fragments, and Fibrous Material from Surface Samples
Fungal	Surface - Culturable	Swab or Contact Plate	MICRO-SOP-202	Detection and Enumeration of Culturable Fungi From Environmental Samples
Fungal	Surface - Direct Examination	Swab or Tape Lift	MICRO-SOP-200	Standard Operating Procedure for the Microscopic Examination of Fungal Spores, Fungal Structures, Hyphae, Pollen, Insect Fragments, and Fibrous Material from Surface Samples

The laboratory is currently suspended for those specific field(s) of testing/methods listed in the table below.  
 Legionella FoT Suspended 12/02/2021

EMLAP Scope Category	Field of Testing (FOT)	Component, parameter or characteristic tested	Method	Method Description <i>(for internal methods only)</i>
Bacterial	Legionella	Water, Swabs, Soil and Air	MICRO-SOP-105	ISO 11731:2017

A complete listing of currently accredited EMLAP laboratories is available on the AIHA LAP, LLC website at:  
<http://www.aihaaccreditedlabs.org>