

*State of Connecticut, Department of Public Health*  
*Approved Environmental Laboratory*

THIS IS TO CERTIFY THAT THE LABORATORY DESCRIBED BELOW HAS BEEN APPROVED BY THE STATE DEPARTMENT OF PUBLIC HEALTH PURSUANT TO APPLICABLE PROVISIONS OF THE PUBLIC HEALTH CODE AND GENERAL STATUTES OF CONNECTICUT, FOR MAKING THE EXAMINATIONS, DETERMINATIONS OR TESTS SPECIFIED BELOW WHICH HAVE BEEN AUTHORIZED IN WRITING BY THAT DEPARTMENT.

**EMSL ANALYTICAL, INC. – PISCATAWAY**

LOCATED AT 1056 Stelton Road, Suite 5 IN Piscataway, New Jersey 08854

AND REGISTERED IN THE NAME OF Peter Frasca, Ph.D

THIS CERTIFICATE IS ISSUED IN THE NAME OF Colin Michael Slattery WHO HAS BEEN DESIGNATED BY THE REGISTERED OWNER/AUTHORIZED AGENT TO BE IN CHARGE OF THE LABORATORY WORK COVERED BY THIS CERTIFICATE OF APPROVAL AS FOLLOWS:


**BUILDING MATERIALS**  
**ASBESTOS FIBER COUNTING (PCM & TEM)**  
**BULK IDENTIFICATION (PLM & TEM)**

**SEE COMPUTER PRINT-OUT FOR SPECIFIC TESTS APPROVED**

EFFECTIVE RENEWAL DATE October 1, 2021

THIS CERTIFICATE EXPIRES September 30, 2023 AND IS REVOCABLE FOR CAUSE BY THE STATE DEPARTMENT OF PUBLIC HEALTH

DATED AT HARTFORD, CONNECTICUT, THIS 16<sup>th</sup> DAY OF September, 2022



Registration #  
PH - 0266

*Lori J. Mathieu '22*

Lori J. Mathieu  
Public Health Branch Chief



# STATE OF CONNECTICUT

DEPARTMENT OF PUBLIC HEALTH  
Environmental Health and Drinking Water Branch



## ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM CERTIFIED ANALYTES REPORT FOR ALL MATRICES

### EMSL Analytical, Inc.- Piscataway

1056 STELTON ROAD, SUITE 5  
PISCATAWAY, NJ 08854

CT REGISTRATION NUMBER :

REGISTERED OWNER / AUTHORIZED AGENT : Peter Frasca, Ph.D

DIRECTOR : Colin Michael Slattery

CO DIRECTOR(S) :

PHONE : (732) 981-0550

LABORATORY REGISTRATION EFFECTIVE DATE :

LABORATORY REGISTRATION EXPIRATION DATE :

LABORATORY STATUS :

APPROVED BY

Lori J Mathieu  
Public Health Branch Chief  
Environmental Health & Drinking Water Branch

REVIEWED BY

9/16/2022 1:50:24 PM

Shinu Zachariah  
Laboratory Consultant/Certification Officer

ANY QUESTIONS CONCERNING THIS DOCUMENT SHOULD BE ADDRESSED TO THE ENVIRONMENTAL LABORATORY CERTIFICATION PROGRAM AT (860) 509-7389

---

# CONSTRUCTION, RENOVATION & DEMO BLDG MATERIALS

STATUS REPORTED ON 9/16/2022

## ANALYTE NAME

---

ASBESTOS

---

ASBESTOS FIBERS (PCM & TEM)

ASBESTOS IN BULK MATERIALS (PLM & TEM)

**Report Profile:** Lab Name : EMSL Analytical, Inc.- Piscataway  
Test Name : \*  
Matrix Name : \*  
Matrix Selection = ALL OR SOME MATRICES SELECTED  
Certifications approved or provisional on 9/16/2022

**THIS IS THE LAST PAGE OF THE REPORT**