

**STATE OF COLORADO**  
**Department of Public Health and Environment**

*Under Primacy Agreement with the United States Environmental Protection Agency  
Pursuant to the Safe Drinking Water Regulations, 40CFR, Part 141*

**Certifies**

**EMSL ANALYTICAL, INC.**

200 Route 130 North  
Cinnaminson, NJ 08077

**LAB ID: NJ00337**

*is in compliance with the criteria and procedures of the EPA Manual for the Certification of Laboratories analyzing drinking water.  
The laboratory may perform Microbiological analyses on public drinking water for the analytes listed on the scope of accreditation:*

**MICROBIOLOGY**

**EFFECTIVE:**

**June 1, 2022 through May 31, 2023**



**Jeff Groff, Laboratory Certification Program Manager**  
**Laboratory Services Division**







**COLORADO DEPARTMENT OF HEALTH AND ENVIRONMENT  
LABORATORY SERVICES DIVISION  
SCOPE OF CERTIFICATION**

**EMSL Analytical, Inc.  
200 Route 130 North  
Cinnaminson, NJ 08077  
LAB ID: NJ00337**

**INORGANIC CHEMISTRY**

<u>Parameters</u>	<u>Method</u>	<u>Begin Date</u>	<u>End Date</u>	<u>Status</u>
<b>TRACE METALS</b>				
Lead	EPA-200.8	6/1/2022	5/31/2023	(A)
Uranium	EPA-200.8	6/1/2022	5/31/2023	(A)

**ORGANIC CHEMISTRY**

<b>MISCELLANEOUS</b>				
Asbestos	EPA-100.2	6/1/2022	5/31/2023	(A)

**MICROBIOLOGY**

<b>CONTAMINANT</b>				
Giardia	EPA-1623.1	6/1/2022	5/31/2023	(A)
Cryptosporidium	EPA-1623.1	6/1/2022	5/31/2023	(A)

**RADIOCHEMISTRY**

<b>CONTAMINANT</b>				
Gross Alpha	EPA-900.0	6/1/2022	5/31/2023	(A)
Gross Beta	EPA-900.0	6/1/2022	5/31/2023	(A)
Radium-226	EPA-903.0	6/1/2022	5/31/2023	(A)
Radium-228	EPA-904.0	6/1/2022	5/31/2023	(A)

*A:Approved  
N:Not Certified  
P:Provisional  
I:Interim*