

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2019
Issued April 01, 2018

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MR. DANIEL CLARKE
EMSL ANALYTICAL, INC.
528 MINEOLA AVE.
CARLE PLACE, NY 11514

NY Lab Id No: 11469

*is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved subcategories and/or analytes are listed below:*

Miscellaneous

| | |
|--|---|
| Asbestos in Friable Material | Item 198.1 of Manual EPA 600/M4/82/020 |
| Asbestos in Non-Friable Material-PLM | Item 198.6 of Manual (NOB by PLM) |
| Asbestos in Non-Friable Material-TEM | Item 198.4 of Manual |
| Asbestos-Vermiculite-Containing Material | Item 198.8 of Manual |
| Lead in Dust Wipes | EPA 7000B |
| Lead in Paint | EPA 7000B |

Sample Preparation Methods

EPA 3051A

Serial No.: 57805

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.