



STATE OF LOUISIANA

DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH



EMSL ANALYTICAL, INC.

200 Route 130 North

Cinnaminson, NJ 08077

is accredited by the State of Louisiana in accordance with
the 2009 TNi Standard and/or Department of Health regulations
Louisiana Administrative Code 48:V.Chapter 80 and
Louisiana Administrative Code 51:XII.101 and 301

Scope of accreditation is limited to the
“TNi Accredited Fields of Testing”
which accompany this certificate

Continued accredited status depends on successful
ongoing participation in the program

CERTIFICATE NUMBER: LA170022
EFFECTIVE DATE: January 1, 2017
EXPIRATION DATE: December 31, 2017

Stephen J. Martin Ph.D.
Stephen J. Martin, Ph.D, D(ABMLI)
Public Health Laboratory Director
1209 Leesville Avenue
Baton Rouge, Louisiana 70802

Donnell L. Ward
Donnell L. Ward
Laboratory Certification Program
Manager

subject to forfeiture or revocation



LOUISIANA DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH
 1209 LEESVILLE AVENUE
 BATON ROUGE, LA 70802
 Telephone (225)219-5247



LOUISIANA ACCREDITATION – 2017

EMSL ANALYTICAL, INC. – meets all the criteria necessary for **ACCREDITATION** by the State of Louisiana & The NELAC Institute (TNI) for the analysis of the drinking water for the following contaminants:

Inorganic Parameters - Drinking Water

Analyte	Method	Method Revision # or date	Technology Description	TNI Method Code	TNI Analyte Code
Asbestos	EPA 100.1	1983	TEM	10004203	1520
Asbestos	EPA 100.2	1994	TEM	10004601	1520

The State of New Jersey is the primary TNI Accreditation Body for EMSL Analytical, Inc. and the Louisiana Department of Health is a secondary Accreditation Body for this laboratory. For a list of additional parameters, refer to the New Jersey Department of Environmental Protection Certificate Number NLC160008.

Certificate# LA170022
 Expires: 12/31/17
 Page 1 of 1

As of 01/01/17, this list superseded all previous list for this certificate number. Consumers are urged to verify the laboratory's current status with the LADHH Laboratory Certification Program.