

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER



Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised August 16, 2022

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MR. DANIEL CLARKE  
EMSL ANALYTICAL, INC.  
528 MINEOLA AVE.  
CARLE PLACE, NY 11514

NY Lab Id No: 11469

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES POTABLE WATER  
All approved analytes are listed below:*

**Bacteriology**

|   |   |
|---|---|
| Coliform, Total / E. coli (Qualitative) | SM 21, 23 9222A,B,C<br>SM 20, 21-23 9223B (-04) (Collilert) |
| E. coli (Enumeration)                   | SM 21, 23 9222A,B,C   |
| Heterotrophic Plate Count               | SM 20, 21-23 9215B (-04)                                    |

**Metals I**

|             |           |
|-------------|-----------|
| Lead, Total | EPA 200.5 |
|-------------|-----------|

**Miscellaneous**

|          |           |
|----------|-----------|
| Asbestos | EPA 100.2 |
|----------|-----------|



Serial No.: 65459

Property of the New York State Department of Health. Certificates are valid only at the address shown, must be conspicuously posted, and are printed on secure paper. Continued accreditation depends on successful ongoing participation in the Program. Consumers are urged to call (518) 485-5570 to verify the laboratory's accreditation status.

