

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

08-31-2023

NUMBER

3334000015

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL INC  
6340 CASTLEPLACE DRIVE  
CASTLETON, IN 46250



*Demetrios J. Melis*  
Demetrios J. Melis, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA  
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LAB BRANCH OFFICE  
NUMBER: 3334000015 EXPIRES: 08-31-2023

EMSL ANALYTICAL INC  
6340 CASTLEPLACE DRIVE  
CASTLETON, IN 46250



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)