

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

08-31-2023

NUMBER

3334000019

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL, INC.
3303 PARKWAY CENTER COURT
ORLANDO, 32808



Demetrios J. Melis
Demetrios J. Melis, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)



COMMONWEALTH of VIRGINIA
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE
NUMBER: 3334000019 EXPIRES: 08-31-2023

EMSL ANALYTICAL, INC.
3303 PARKWAY CENTER COURT
ORLANDO, 32808



(FOLD)

(DETACH HERE)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)