

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

07-31-2023

NUMBER

3334000013

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL INC
2500 GATEWAY CENTRE BOULEVARD
SUITE 600
MORRISVILLE, NC 27560



Demetrius J. Melle
Demetrius J. Melle, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE
NUMBER: 3334000013 EXPIRES: 07-31-2023

EMSL ANALYTICAL INC
2500 GATEWAY CENTRE BOULEVARD
SUITE 600
MORRISVILLE, NC 27560



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)

(DETACH HERE)