

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON

02-28-2018

NUMBER

3333000075

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE  
PCM PLM TEM



EMSL ANALYTICAL, INC.  
200 ROUTE 130 NORTH  
CINNAMINSON, NJ 08077-0000



*Jay W. DeBoer*  
Jay W. DeBoer, Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (05/2015)

(DETACH HERE)

**DPOR** COMMONWEALTH of VIRGINIA  
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS  
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PLM TEM

NUMBER: 3333000075 EXPIRES: 02-28-2018

EMSL ANALYTICAL, INC.  
200 ROUTE 130 NORTH  
CINNAMINSON, NJ 08077-0000



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (05/2015)